Abstract Submitted for the Forty-Seventh Annual Meeting Division of Plasma Physics October 24–28, 2005, Denver, Colorado

Category Number and Subject: 7.2.3. Target Fabrication

[] Theory [x] Experiment

Laser Welding Micro-Holes in Beryllium Capsules,* N.B. Alexander, R. Gallix, D.T. Frey, S. Grant, *General Atomics* – In order to produce gas filled beryllium capsules for inertial confinement fusion (ICF) experiments, we are developing laser welding as a tool to seal micro-holes drilled through the capsule wall. Micro-holes of diameter 5 to 10 µm drilled through 100 micron thick cold rolled beryllium foils have been welded closed. Welds were tested to be leak tight with a helium leak detector. A windowed pressure chamber has been built to allow capsules to be welded while under a pressure of up to 30 atm. Cryocondensing fill gas into the capsules will potentially allow higher fill pressures. The current formulation of sputterdeposited beryllium used to produce capsules appears to be more susceptible to cracking than the cold-rolled beryllium foil. The progress on welding closed micro-holes in beryllium capsules made by sputter deposition will be presented.

*Work supported by the US DOE under DE-AC03-01SF22260.

[x] Oral [] Poster