$[BoldFont = LinLibertine_RB.otf, ItalicFont = LinLibertine_RI.otf, BoldItalicFont = LinLibertine_RBI.otf, Path = /opt/indico/.venv/lib/python2.7/site-packages/indico_fonts/] [BoldFont = LinBiolinum_RB.otf, ItalicFont = LinBiolinum_RI.otf, Path = /opt/indico/.venv/lib/python2.7/site-packages/indico_fonts/] [BoldFont = LinBiolinum_RB.otf, ItalicFont = LinBiolinum_RI.otf, Path = /opt/indico/.venv/lib/python2.7/site-packages/indico_fonts/] [BoldFont = LinBiolinum_RB.otf, ItalicFont = LinBiolinum_RI.otf, Path = /opt/indico/.venv/lib/python2.7/site-packages/indico_fonts/] [BoldFont = LinBiolinum_RB.otf, ItalicFont = LinBiolinum_RB.otf, ItalicFont = LinBiolinum_RI.otf, Path = /opt/indico/.venv/lib/python2.7/site-packages/indico_fonts/] [BoldFont = LinBiolinum_RB.otf, ItalicFont = LinBiolinum_RB.otf, ItalicFont = LinBiolinum_RI.otf, Path = /opt/indico/.venv/lib/python2.7/site-packages/indico_fonts/] [BoldFont = LinBiolinum_RB.otf, ItalicFont = LinBiolinum_RB.otf, Path = /opt/indico/.venv/lib/python2.7/site-packages/indico_fonts/] [BoldFont = LinBiolinum_RB.otf, Path = /opt/indico/.venv/lib/python2.7/site-packages/indico_fonts/] [Bold$

HTPD 2018



Contribution ID : 330

Type : not specified

8.30 First time-resolved electron density measurements in the C-2W Advanced Field Reversed Configuration plasmas from long-path compact second-harmonic interferometer

Tuesday, 17 April 2018 16:01 (120)

Characterization of plasma structure and density is critical for diagnosis and control of C-2W plasma equilibria. To this end, two compact, highly portable, turnkey second harmonic interferometers[1] are used to make measurements with greater flexibility than available from other diagnostics, providing important information sooner than what would be possible from more complicated systems and in areas otherwise inaccessible. The systems are based on a fiber-coupled 1064nm Nd:YAG laser, and provide a sensitivity of a few 1019 m-2 with a time resolution of a few microseconds. System upgrades were made to allow for beam paths in excess of five meters. Data from two system configurations will be presented, showing plasma translation and merged equilibria.

[1] F. Brandi, et al., Rev. Sci. Instrum., 80, 113501 (2009)

Primary author(s): BEALL, Michael (TAE Technologies, Inc.)

Co-author(s): SHEFTMAN, Daniel (TAE Technologies, Inc.); THE TAE TEAM

Presenter(s) : BEALL, Michael (TAE Technologies, Inc.); SHEFTMAN, Daniel (TAE Technologies, Inc.); THE TAE TEAM

Session Classification : Session #8, Tuesday Afternoon Poster Session